

**AB GROUP**

## **Agro-max Slurry tanker 10000l**



### **Podstawowe informacje**

<b>Cena netto:</b>	77 000 PLN
<b>Marka</b>	Agro-max
<b>Rok produkcji</b>	2025
<b>Kraj produkcji</b>	PL

### **Dane Szczegółowe**

<b>Lokalizacja</b>	Rzędziany
<b>Lokalizacja, kraj/państwo</b>	Poland
<b>Cena netto</b>	77000
<b>Waluta</b>	PLN
<b>VAT [%]</b>	23,00
<b>Wymiary transportowe (DxSxW)</b>	7,3 x 2,8 x 3,3
<b>Waga transportowa [kg]</b>	3600
<b>Gwarancja [miesiące]</b>	12
<b>type</b>	Sprzęt używany
<b>Dodatkowe opcje</b>	Nowy / nieużywany
<b>Dodatkowe informacje:</b>	<ul style="list-style-type: none"><li>o Length 7300 mm</li><li>o Width 2800 mm</li><li>o Height 3300 mm</li><li>o Tyres: 2 X 28L/26 (without mudguard),(or of such</li></ul>

width and similar profile

tyre profile)

- o Number of axles: 1` x 110 mm
- o Wheel base: 2100 mm
- o Hitch load 22kN - 2.2Tons
- o Unladen weight 3600 kg
- o Total weight 13600 kg
- o Spreading width - PERROT spreader 10m
- o Tractor with 80 hp
- o Time of filling the tank with the compressor: MEC 9000 approximately 5 min
- o Tank emptying time from 6 min

Specifications and standard equipment:

- Tank made of 6mm thick sheet metal, tank has additional reinforcement rings.
- Frame construction.
- Tank hot-dip galvanised inside and outside.
- Inside the tank a breakwater with reinforcing rings.
- Compressor MEC9000 M
- Slurry shut-off valve for the compressor.
- Manowacometer.
- Bottom hitch at 45cm or top hitch (height to be determined).
- Exchangeable hitching eye (40 mm or 50 mm to be specified).
- Mechanically adjustable side support foot up to 4 tonnes capacity.
- Tubular water level gauge fi90mm
- Top manhole fi200mm.
- Lighting installation required by traffic regulations.
- Service brake - pneumatic (1 or 2 circuit to be specified).
- Additional hand brake.
- Hose 6"(fi 150) with suction basket - suction hose length 6m.
- Rear opening bottom pan fi 1600mm with two spigots.
- 6" hydraulically operated main drain gate valve.

□ Second bottom gate valve fi150mm with 6" Perrot quick coupling.

□ Bottling device - PERROT 6" bottling machine.

□