

AB GROUP

[Other] Agro-max Slurry tanker 10000l / Бочка / Cuba de pu



Podstawowe informacje

Cena netto:	77 000 PLN
Marka	Agro-max
Rok produkcji	2024
Kraj produkcji	PL

Dane Szczegółowe

Lokalizacja	Rzędziany
Lokalizacja, kraj/państwo	Polska
Cena netto	77000
Waluta	PLN
VAT [%]	23,00
Wymiary transportowe (DxSxW)	7,3 x 2,8 x 3,3
Waga transportowa [kg]	3600
Gwarancja [miesiące]	12
typ	Sprzęt używany
Dodatkowe opcje	Nowy / nieużywany
Dodatkowe informacje:	<ul style="list-style-type: none">o Length 7300 mmo Width 2800 mm

- o Height 3300 mm
- o Tyres: 2 X 28L/26 (without mudguard),(or of such width and similar profile tyre profile)
- o Number of axles: 1` x 110 mm
- o Wheel base: 2100 mm
- o Hitch load 22kN - 2.2Tons
- o Unladen weight 3600 kg
- o Total weight 13600 kg
- o Spreading width - PERROT spreader 10m
- o Tractor with 80 hp
- o Time of filling the tank with the compressor: MEC 9000 approximately 5 min
- o Tank emptying time from 6 min

Specifications and standard equipment:

- Tank made of 6mm thick sheet metal, tank has additional reinforcement rings.
- Frame construction.
- Tank hot-dip galvanised inside and outside.
- Inside the tank a breakwater with reinforcing rings.
- Compressor MEC9000 M
- Slurry shut-off valve for the compressor.
- Manowacometer.
- Bottom hitch at 45cm or top hitch (height to be determined).
- Exchangeable hitching eye (40 mm or 50 mm to be specified).
- Mechanically adjustable side support foot up to 4 tonnes capacity.
- Tubular water level gauge fi90mm
- Top manhole fi200mm.
- Lighting installation required by traffic regulations.
- Service brake - pneumatic (1 or 2 circuit to be specified).
- Additional hand brake.
- Hose 6"(fi 150) with suction basket - suction hose length 6m.
- Rear opening bottom pan fi 1600mm with two

spigots.

- 6" hydraulically operated main drain gate valve.
- Second bottom gate valve fi150mm with 6" Perrot quick coupling.
- Bottling device - PERROT 6" bottling machine.
-