

**AB GROUP**

## Harmak corn header MT5



### Podstawowe informacje

|                |             |
|----------------|-------------|
| Cena netto:    | 109 000 PLN |
| Marka          | Harmak      |
| Rok produkcji  | 2022        |
| Kraj produkcji | TR          |

### Dane Szczegółowe

|                           |                  |
|---------------------------|------------------|
| AB GROUP ID:              | 35920            |
| Lokalizacja               | Rzędziany        |
| Lokalizacja, kraj/państwo | Poland           |
| Cena netto                | 109000           |
| Waluta                    | PLN              |
| VAT [%]                   | 23,00            |
| Waga transportowa [kg]    | 1850             |
| Gwarancja [miesiące]      | 12               |
| typ                       | 3,8 x 3,15 x 1,3 |

## Dodatkowe informacje:

Harmak corn header MT5 - on stock!

- Brand new, year of manufacture 2022.
- Possibility of choosing a mounting frame for each harvester model.
- Plastic row dividers.
- Gears in very strong cast iron bodies.
- Side spirals engrossing inclined stalks included in price.
- Stalk shredders.
- Painting of the mounting frame in the color of the harvester.
- Also available headers with 5, 6 and 8 m width and with 70 or 75 cm row spacing

Technical Specifications:

- Weight 1850 kg
- Length 3.80 m
- Width 3.15 m
- Height 1.30 m
- Working width 3.50 m
- PTO speed 540 - 750 rpm
- Number of rows 5 pcs
- Spacing between rows 70 cm
- Number of gripping rollers 10 pcs
- Recommended working speed 5 km/h
- Capacity 2.05 ha/h

Technical solutions used:

Side gears

Bevel gears and power take-off couplings reduce gear maintenance and make the gear more reliable than a chain drive.

Removable stalk shredders

Each shredder is equipped with large-diameter steel discs with knives with tungsten carbide blades, mounted in a central rear position and connected

directly to the harvesting drive gearbox. The shredders can be removed with plier or a screwdriver.

#### Chain tension adjustment

The tension of the harvesting chain is controlled by a strong, simple screw system that ensures reliability in all working conditions.

#### Adjustable knives

Four hinged, adjustable steel knives have tungsten carbide edges. They are securely bolted on for easy maintenance.

#### Collecting rollers

The rollers are supported at the front and equipped with helical stalk rollers for smooth and even stalk collection. The scraper blade prevents grass from wrapping around the roller.

Offer valid while stocks last. The price is a net price.